

VINMAX

PCR / LTR / SUV / 4x4




ULTRALINE D1 tyre is the latest VINMAX Summer high performance product for cars and crossovers with a focus on wet performances, mileage and rolling resistance. Be in control of your vehicle



ULTRALINE D1



- **High-rigidity Wide Shoulder**
 Significantly improves pattern rigidity at ultrahigh speeds and realizes powerful grip in the dry.
- **The Unique Designed groove**
 Enhances the support between tread blocks, disperses the braking force averagely to all-over the tread ribs and restrains the noises comprehensively.
- **4 Wide Longitudinal Grooves**
 Provide rapid water drainage, prevent the tire lateral slide and deliver excellent.



- ◆ Compound formula of GALAXY R1 contains high percentage of SILICA to further enhance grip on wet surface.
- ◆ High percentage of SILICA reinforces tread pattern, enhances grip on wet surface and lowers the rolling resistance.



UTQG	TREADWEAR	TRACTION	TEMPERATURE
	420	A	A

Rim	Size	L.I./S.R.	Load Range
15	185/55R15	82V	----
	185/65R15	88H	----
	195/50R15	82V	----
	195/65R15	91V	----
	205/65R15	94V	----
16	195/55R16	87V	----
	205/55R16	91V	----
	205/60R16	92V	----
	215/55R16	97W	XL
	205/50R17	93W	XL
17	205/55R17	91W	----
	215/45R17	91W	XL
	215/50R17	95W	XL
	215/55R17	98W	XL

Rim	Size	L.I./S.R.	Load Range
17	215/60R17	96H	----
	225/45R17	94W	XL
	225/50R17	98W	XL
	225/55R17	97W	----
	215/50R18	92V	----
18	215/55R18	99W	XL
	225/40R18	92W	XL
	225/45R18	95W	XL
	225/55R18	102W	XL
	235/45R18	98W	XL
	235/55R18	104W	XL
	235/60R18	107V	XL
245/45R18	100W	XL	

Exceptional performance for drivers demanding precise sport handling.

- Exceptional Handling
- Dry Traction
- Safety



ACTIVE V02



Optimized profile and innovative materials
Reduced fuel consumption and CO2 emissions. Reduced noise to provide comfortable and quiet ride.

3+1 Grooves
Provide rapid water drainage, prevent the tire lateral slide and deliver excellent.

UTQG	TREADWEAR	TRACTION	TEMPERATURE
	420	A	A

Rim	Size	L.I./S.R.	Load Range
16	195/50R16	84V	----
	205/45R16	87W	XL
	215/70R16	100H	----
	225/55ZR16	99W	----
	225/70R16	103H	----
	235/70R16	106H	----
17	245/70R16	107H	----
	205/40ZR17	84W	XL
	205/45ZR17	88W	----
	215/40R17	87W	XL
	235/45ZR17	97W	----
	235/50ZR17	100W	----
	235/55ZR17	103W	XL
	235/65R17	104H	----
	245/45ZR17	99W	XL
	265/65R17	112H	----
18	195/50R18	86V	----
	205/40ZR18	86W	----
	215/35ZR18	84W	XL
	215/45ZR18	93W	----
	225/50ZR18	99W	----
	225/60R18	104V	----
	235/40ZR18	95W	XL
	235/50ZR18	101W	XL
	235/65R18	110H	----
	245/40ZR18	97W	----
	245/50ZR18	100W	----
	255/35ZR18	94W	XL
	255/40ZR18	99W	----
	255/45ZR18	103W	XL
	255/50ZR18	106W	----
	255/55R18	105V	----
	265/35ZR18	97Y	XL
	265/60R18	110H	----
19	275/40ZR18	103W	----
	275/45ZR18	107W	----
	285/35ZR18	101W	----
	225/35ZR19	88W	XL
	225/40ZR19	93W	----
	225/45ZR19	96W	----
	225/55R19	99V	----
	235/35ZR19	91W	XL
	235/40ZR19	96W	----
	235/45ZR19	99W	----
	235/50ZR19	103W	----
	235/55ZR19	105W	----
	235/60R19	107V	----
	235/65R19	109V	----
	245/35ZR19	93W	XL
	245/40ZR19	98W	----
	245/45ZR19	102W	XL
	245/50ZR19	105W	----
	245/55ZR19	103W	----
	255/35ZR19	96W	----
	255/40ZR19	100W	----
255/45ZR19	104W	----	
255/50ZR19	103W	----	
255/55ZR19	111W	----	
255/60R19	113V	----	
265/35ZR19	98W	----	
265/40ZR19	102W	----	
265/50ZR19	110W	----	

Rim	Size	L.I./S.R.	Load Range
19	275/35ZR19	100W	----
	275/40ZR19	105W	----
	275/50ZR19	112W	----
	275/55ZR19	111W	----
	285/40ZR19	107W	----
	295/30ZR19	100W	----
20	295/40ZR19	108W	----
	225/35ZR20	90W	XL
	235/35ZR20	92W	XL
	235/45ZR20	100W	----
	235/50ZR20	104W	----
	235/55ZR20	105W	----
	245/30ZR20	90W	----
	245/35ZR20	95W	XL
	245/40ZR20	99W	----
	245/45ZR20	103W	----
21	245/50ZR20	102W	----
	255/35ZR20	97W	----
	255/40ZR20	101W	----
	255/45ZR20	105W	----
	255/50ZR20	109W	----
	255/55ZR20	110W	----
	265/40ZR20	104W	----
	265/45ZR20	108W	----
	265/50R20	107V	----
	275/30ZR20	97W	----
	275/35ZR20	102W	----
	275/40R20	106W	XL
	275/45ZR20	110W	----
	275/50ZR20	113W	----
	275/55ZR20	117W	----
	285/35ZR20	104W	----
	285/45ZR20	112W	----
	285/50R20	116V	----
22	295/35ZR20	105W	----
	295/40ZR20	110W	----
	305/40ZR20	112W	----
	315/35ZR20	110W	----
	245/35ZR21	96W	----
	255/40ZR21	102W	----
	255/45ZR21	105W	----
	265/40ZR21	105W	----
	265/45ZR21	104W	----
	275/30ZR21	98W	----
	275/35ZR21	103W	----
	275/40ZR21	107W	----
	275/45ZR21	107W	----
	275/50ZR21	113W	----
	285/35ZR21	105W	----
	285/45ZR21	113W	----
	295/35ZR21	107W	----
	295/40ZR21	111W	----
23	315/30ZR21	105W	----
	315/35ZR21	111W	----
	325/30ZR21	108W	----
	265/40ZR22	106W	----
	275/40ZR22	108W	----
	285/35ZR22	106W	----
23	285/45ZR22	114W	----
	315/35ZR22	111W	----
	285/40ZR23	111W	----
325/35ZR23	111W	----	

Our longest lasting tire now lasts even longer.

ECOTOUR HP3 is completely redesigned to meet the needs of modern vehicles. It offers the increased tread life that today's families expect on their passenger cars.

- Ultimate Treadlife.
- All-Season Safety.
- Quiet & Comfortable Ride.



ECOTOUR HP3

UTQG	TREADWEAR	TRACTION	TEMPERATURE
	700	A	A

Rim	Size	L.I./S.R.	Load Range
13	165/65R13	77T	----
	175/60R13	77H	----
	175/70R13	82H	----
	175/75R13	85T	----
	185/70R13	86T	----
14	165/60R14	75T	----
	165/65R14	79T	----
	165/70R14	81T	----
	175/65R14	82H	----
	175/70R14	84H	----
	175/75R14	86T	----
	185/60R14	82H	----
	185/65R14	86H	----
	185/70R14	88H	----

Rim	Size	L.I./S.R.	Load Range
14	205/60R14	88V	----
	185/60R15	84H	----
15	185/65R15	88H	----
	195/55R15	85V	----
	195/60R15	88V	----
	195/65R15	91V	----
	205/60R15	91V	----
16	205/65R15	94V	----
	205/55R16	91V	----
	215/60R16	95V	----
17	215/65R16	98V	----
	225/60R17	99H	----
	225/65R17	102H	----

- Deliver greater durability and even road contact.
- Evacuates water efficiently, improving wet performance.



RADIAL V77

UTQG	TREADWEAR	TRACTION	TEMPERATURE
	500	A	A

Rim	Size	L.I./S.R.	Load Range
12	145/70R12	69T	----
	175/70R12	80T	----
13	155/65R13	73T	----
	155/70R13	75T	----
	165/70R13	79T	----
14	185/70R13	86T	----
	175/60R14	79T	----
14	195/70R14	91T	----
	205/70R14	98T	XL
15	175/65R15	84H	----
	185/55R15	82H	----
	205/70R15	96H	----
16	195/60R16	89H	----
	205/50R16	87H	----
	225/60R16	98H	----





GIANTIRE VT88



Rim	Size	L.I./S.R.	Load Range
16	235/70R16	106H	----
	245/70R16	107T	----
	265/70R16	112T	----
	275/70R16	114H	----
17	245/65R17	107H	----
	265/65R17	112T	----
	275/65R17	115T	----
	285/65R17	116H	----
18	265/60R18	110H	----
	285/60R18	116H	----

PLUS VO3

Rim	Size	P.R.	L.I./S.R.
12	5.00R12LT	10PR	88/86P
	155R12LT	8PR	88/86N
13	155R13C	8PR	90/88N
	165R13C	8PR	94/93Q
14	165R14C	8PR	97/95Q
	175/75R14C	8PR	99/98S
	175R14C	8PR	99/98S
	185R14LT	8PR	102/100R
	195R14LT	8PR	106/104R
	205R14C	8PR	109/107S
	185R15C	8PR	103/102S
15	195/70R15C	8PR	104/102R
	195R15LT	8PR	106/104R
	205/70R15C	8PR	106/104S


Rim	Size	P.R.	L.I./S.R.
15	215/70R15C	8PR	109/107R
	225/70R15C	8PR	112/110S
16	195/75R16C	8PR	107/105R
	195/85R16C	10PR	114/112S
	205/65R16C	8PR	107/105T
	205/85R16C	10PR	117/115S
	215/65R16C	8PR	109/107S
	215/75R16C	8PR	113/111R
	235/65R16C	8PR	115/113T
	↓↓↓	WSW	↓↓↓
WSW	185R14LT	8PR	102/100R
	195R14LT	8PR	106/104R
	195R15LT	8PR	106/104R

MULTI VO7



Rim	Size	P.R.	L.I./S.R.
15	215/75R15LT	6PR	100/97S
	235/75R15LT	6PR	104/101S
	31X10.50R15LT	6PR	109S
16	235/85R16LT	10PR	120/116S
	245/70R16LT	10PR	118/115S
	245/75R16LT	10PR	120/116S
	265/75R16LT	10PR	123/120S
17	265/70R17LT	10PR	121/118S

VINMAX run-flat tire is a pneumatic vehicle tire that is designed to resist the effects of deflation when punctured, and to enable the vehicle to continue to be driven at reduced speeds (under 55 mph (89 km/h)), and for limited distances (up to 10 mi (16 km), depending on the type of tire).
The usual standard of performance, especially for military or security vehicles, are the Finabel standards.



ACTIVE VO2



- Optimized profile and innovative materials**
 Reduced fuel consumption and CO2 emissions. Reduced noise to provide comfortable and quiet ride.
- 3+1 Grooves**
 Provide rapid water drainage, prevent the tire lateral slide and deliver excellent.

UTQG	TREADWEAR	TRACTION	TEMPERATURE
	420	A	A

Rim	Size	L.I./S.R.	Load Range
16	225/55R16	95V	----
	205/45ZR17	88W	----
	205/50ZR17	89W	----
	205/55ZR17	91W	----
17	225/50ZR17	94W	----
	225/55ZR17	97W	----
	235/50ZR17	96W	----
	245/45ZR17	99W	XL
	205/40ZR18	86W	----
	225/50ZR18	99W	----
	235/40ZR18	95W	XL
	235/50ZR18	101W	XL
18	245/40ZR18	97W	----
	245/45ZR18	96W	----
	245/50ZR18	100W	----
	255/35ZR18	94W	XL
	255/40ZR18	99W	----
	255/45ZR18	103W	XL
	255/50ZR18	106W	----
	255/55R18	105V	----
	275/40ZR18	99W	----
	285/35ZR18	101W	----
	225/35ZR19	88W	XL
	225/40ZR19	89W	----
19	225/45ZR19	96W	----
	235/35ZR19	91W	XL
	235/40ZR19	96W	----
	235/45ZR19	99W	----
	235/55ZR19	101W	----
	235/60R19	107V	----
	245/40ZR19	98W	----
	245/45ZR19	102W	XL
	245/50ZR19	101W	----
	255/35ZR19	96W	----
	255/40ZR19	100W	----
	255/50ZR19	103W	----

Rim	Size	L.I./S.R.	Load Range
16	255/55ZR19	111W	----
	265/35ZR19	94W	----
	265/50ZR19	110W	----
	275/35ZR19	100W	----
17	275/40ZR19	105W	----
	225/35ZR20	90W	XL
	235/50ZR20	104W	----
	245/30ZR20	90W	----
	245/35ZR20	95W	XL
	245/40ZR20	99W	----
	245/45ZR20	103W	----
	255/40ZR20	101W	----
18	255/45ZR20	105W	----
	255/50ZR20	109W	----
	265/45ZR20	108W	----
	275/30ZR20	97W	----
	275/35ZR20	102W	----
	275/40R20	106W	XL
	275/45ZR20	110W	----
	275/50ZR20	113W	----
	285/35ZR20	104W	----
	305/40ZR20	112W	----
	315/35ZR20	110W	----
	245/35ZR21	96W	----
19	255/40ZR21	102W	----
	275/30ZR21	98W	----
	275/35ZR21	103W	----
	275/40ZR21	107W	----
	275/45ZR21	107W	----
	285/35ZR21	101W	----
	285/45ZR21	109W	----
	315/35ZR21	111W	----
	325/30ZR21	104W	----
	275/40ZR22	107W	----
	315/35ZR22	108W	----